## **Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **Listing of Claims:**

1. (Currently amended) An information system, comprising:

## a persistent storage;

a set of <u>storage</u> access subsystems each for use in accessing [[a]] <u>the</u> persistent storage in the information system;

a power manager coupled to the <u>storage</u> access subsystems, the power manager selectively changes the power state of each <u>storage</u> access subsystem based on a power management rank assigned to each <u>storage</u> access subsystem; and

a transaction analyzer that determines a priority metric for an incoming access transaction to the persistent storage and that transfers the incoming access transaction to one of the <u>storage</u> access subsystems by matching the priority metric to the power management ranks.

- 2. (Previously presented) The information system of claim 1, wherein the priority metric is based on a frequency of occurrence for the incoming access transaction.
- 3. (Previously presented) The information system of claim 1, wherein the priority metric is based on a frequency of access of a database table referenced in the incoming access transaction.
- 4. (Previously presented) The information system of claim 1, wherein the priority metric is based on a dollar cost associated with the incoming access transaction.

- 5. (Previously presented) The information system of claim 1, wherein the priority metric is based on a computational complexity associated with performing the incoming access transaction.
- 6. (Currently amended) The information system of claim 5, wherein the computational complexity is indicated by a number of database tables in the persistent storage that are referenced by the incoming access transaction.
- 7. (Currently amended) The information system of claim 5, wherein the computational complexity is indicated by a number of field matches specified in the incoming access transaction to database tables in the persistent storage.
- 8. (Previously presented) The information system of claim 1, wherein the priority metric is based on a set of query constraints contained in the incoming access transaction.
- 9. (Currently amended) The information system of claim 8, wherein the priority metric is based on a size of a database table in the persistent storage to which the query constraints are to be applied.
- 10. (Currently amended) A method for priority analysis of access transactions in an information system, comprising:

determining, by a server, a priority metric for an incoming access transaction to a persistent storage in the information system;

selecting, by the server, which of a set of <u>storage</u> access subsystems is to be used when performing the incoming access transaction by matching the priority metric to a power management rank for each <u>storage</u> access subsystem.

11. (Previously presented) The method of claim 10, wherein determining the priority metric includes determining a frequency of occurrence for the incoming access transaction.

Appl. No. 10/629,033 Amdt. dated June 29, 2009 Reply to Office action of April 1, 2009

- 12. (Previously presented) The method of claim 10, wherein determining the priority metric includes determining a frequency of access of a database table referenced in the incoming access transaction.
- 13. (Previously presented) The method of claim 10, wherein determining the priority metric includes determining a dollar cost associated with the incoming access transaction.
- 14. (Previously presented) The method of claim 10, wherein determining the priority metric includes determining a computational complexity associated with performing the incoming access transaction.
- 15. (Currently amended) The method of claim 14, wherein the computational complexity is indicated by a number of database tables in the persistent storage that are referenced by the incoming access transaction.
- 16. (Currently amended) The method of claim 14, wherein the computational complexity is indicated by a number of field matches specified in the incoming access transaction to database tables in the persistent storage.
- 17. (Previously presented) The method of claim 10, wherein determining the priority metric includes determining the priority metric in response to a set of query constraints contained in the incoming access transaction.
- 18. (Previously presented) The method of claim 17, wherein determining the priority metric includes determining a size of a database table in the persistent store to which the query constraints are to be applied.